



Afatinib (Giotrif®)

Lungenkarzinom, nicht-kleinzellig (NSCLC) » Plattenepithelkarzinom
» ab Zweitlinientherapie

Empfehlungen der Fachgesellschaft zum Einsatz neuer Arzneimittel

Herausgeber

DGHO Deutsche Gesellschaft für Hämatologie und
Medizinische Onkologie e.V.
Alexanderplatz 1
10178 Berlin

Geschäftsführender Vorsitzender: Prof. Dr. med. Lorenz Trümper

Telefon: +49 (0)30 27 87 60 89 - 0
Telefax: +49 (0)30 27 87 60 89 - 18

info@dgho.de
www.dgho.de

Ansprechpartner

Prof. Dr. med. Bernhard Wörmann
Medizinischer Leiter

Quelle

www.onkopedia.com

Die Empfehlungen der DGHO für die Diagnostik und Therapie hämatologischer und onkologischer Erkrankungen entbinden die verantwortliche Ärztin / den verantwortlichen Arzt nicht davon, notwendige Diagnostik, Indikationen, Kontraindikationen und Dosierungen im Einzelfall zu überprüfen! Die DGHO übernimmt für Empfehlungen keine Gewähr.

Inhaltsverzeichnis

1 Afatinib, NSCLC, squamous, second line	2
---	----------


Afatinib (Giotrif®)

Dokument: Fact Sheet

Spezifizierung: Lungenkarzinom, nicht-kleinzellig (NSCLC) » Plattenepithelkarzinom » ab Zweitlinientherapie

Stand: Juli 2021

1 Afatinib, NSCLC, squamous, second line



Legende:

- ¹ N - number of patients
- ² RR - remission rate, in %
- ³ PFS - progression-free survival in months
- ⁵ OS - overall survival in months
- ⁷ SAE - serious adverse events, CTCAE grade 3/4
- ¹⁴ results for control, results for new therapy
- ¹⁵ hazard ratio for new therapy