



Ibrutinib (Imbruvica®)

Chronische Lymphatische Leukämie (CLL) » Erstlinie, ≥ 65 Jahre »
RESONATE-2, alle

Empfehlungen der Fachgesellschaft zum Einsatz neuer Arzneimittel

Herausgeber

DGHO Deutsche Gesellschaft für Hämatologie und
Medizinische Onkologie e.V.
Bauhofstr. 12
10117 Berlin

Geschäftsführender Vorsitzender: Prof. Dr. med. Andreas Hochhaus

Telefon: +49 (0)30 27 87 60 89 - 0

info@dgho.de

www.dgho.de

Ansprechpartner

Prof. Dr. med. Bernhard Wörmann
Medizinischer Leiter

Quelle

www.onkopedia.com

Die Empfehlungen der DGHO für die Diagnostik und Therapie hämatologischer und onkologischer Erkrankungen entbinden die verantwortliche Ärztin / den verantwortlichen Arzt nicht davon, notwendige Diagnostik, Indikationen, Kontraindikationen und Dosierungen im Einzelfall zu überprüfen! Die DGHO übernimmt für Empfehlungen keine Gewähr.

Inhaltsverzeichnis

1 Ibrutinib, CLL, first line, ≥ 65 years, RESONATE-2, all	2
--	----------


Ibrutinib (Imbruvica®)

Dokument: Fact Sheet

Spezifizierung: Chronische Lymphatische Leukämie (CLL) » Erstlinie, ≥65 Jahre » RESONATE-2, alle

Stand: Oktober 2020

1 Ibrutinib, CLL, first line, ≥65 years, RESONATE-2, all



Legende:

¹ N - number of patients

² RR - remission rate, in %

³ PFS - progression-free survival in months

⁵ OS - overall survival in months

¹¹ results for control, results for new therapy

¹² hazard ratio for new therapy

¹⁵ n. r. - median not reached